



Features and Benefits

Polycom® HDX 6000™



Audio

Polycom 22 kHz StereoSurround™ with 2 channels of 22 kHz crystal-clear audio

Audio Error Concealment

- Eliminates audio drop-outs on noisy networks

Multiple Audio Inputs for aux audio or DVD

Benefits

- Hear everyone clearly and naturally
- Superb clarity to hear the subtleties of every word, conversation and speakers
- Hear all participants, even when multiple people are talking
- Smooth and consistent verbal communications free from interruptions
- Automatic correction of audio quality whenever needed
- Allows far end to hear audio from PC or other multimedia device

Video

Incredible video resolutions at all bandwidths

- DVD quality video (256 Kbps – 768kbps)
- High Definition 720p30 Video from 832kbps – 2 Mbps

Polycom EagleEye™ HDX Camera

- 1/3 2 MP CMOS Imager
- 72 deg FOV at min zoom
- Capture at 1280x720 resolution
- 12x Optical Zoom
- 16:9, 720p60 video capture
- Sharp, quick focus

Lost Packet Recovery (LPR)

Dual Monitor Emulation

- View near and far video windows at the same time in native aspect ratio

HDMI support

Additional HD Video input

Benefits

- Natural motion and superb video at any data rate
- Wide screen captures full room for maximum participation
- Natural interaction between all meeting participants
- Sharp, quick focus enables a highly productive meeting and eliminates technology issues
- Smooth uninterrupted video conferences, even on congested networks
- Faster and more productive meetings
- Seamless and automatic activation without IT intervention
- High quality communications for near end and far end participants
- Optimal use of display investments
- Single cable support for both video and audio allows for simple, clean setup
- Share data from a computer or other video source



Content Sharing

Standards based H.239 ensures fully interoperability

- People+Content IP allows users to share data through network without a direct connection to HDX 6000.

Adjustable Bandwidth for Content

- System will automatically adjust bandwidth allocation when sharing content based upon content being shown

Benefits

- Improved meeting quality with simultaneous speaker and content views
- Uninterrupted conferences with intuitive on-touch content sharing
- Sustained meeting quality across a wide range of content during a video call
- Users have best overall experience with no intervention

Platform Versatility

Secure FTP, Telnet and Web

Benefits

- Polycom video systems are the most secure video conferencing solutions in the industry
- All access to the HDX system can be secured including accessing the HDX system via web-browser as well as secure telnet and ftp access via SSH for secure system administration and application connectivity

Advanced Encryption Standard (AES)

- Communications are confidential and secure
- Authentication by the National Institutes of Standards means it's credible
- Built-in, no extra hardware required

H.460 NAT/Firewall Traversal

- Standards compliance for traversing NATs and Firewalls
- Session border controller (V2IU) is only needed at the central location and all VSX systems with H.460 can communicate through the single V2IU
- Uses H.460.18 for signaling traversal and call establishment and H.460.19 for media traversal

IP (H.323 or SIP)

- IP and SIP standard
- Choose the right option for your specific network connection
- Supports UPnP and NAT for automatic setup of conferences conducted through firewalls
- Wide range of IP QoS services to insure call quality and integrity

Interoperability

Part of Polycom's Unified Collaborative Communications

Standards-based

Benefits

- Remote management through Polycom CMA 4000™ or 5000
- RMX Click & View™ offers a variety of layout templates for multipoint call right from the system's handheld remote
- Play, stop, record, rewind and fast forward video recordings with the RSS 2000 using the HDX remote control
- Expand the audience over audio and video with an RMX™ bridge
- Schedule, invite participants and manage conferences easily with Polycom Conference Suite
- Video recording, streaming and archiving with the Polycom RSS 2000™
- Solid, reliable platform
- Qualified by independent test labs
- Interoperates with other standards-based systems in the industry
- Easy to install even in a multi-vendor environment

Polycom Russia 

T +7(499)788-72-39

www.polycom-russia.ru



©2009 Polycom, Inc. All rights reserved. Polycom and the Polycom logo design are registered trademarks of Polycom, Inc. All other trademarks are the property of their respective owners. Information is subject to change without notice.